

segment**QUILT**

a dual layer eva based protection medium

www.airkrafters.com

support@airkrafters.com
AIRKRAFTERS, INC.
3257 ROYAL OAKS DR. UNIT 101
THOUSAND OAKS, CA 91362

DESIGNED AND MANUFACTURED IN CALIFORNIA

the 'airkrafters' trade name, 'segmentQUILT' name and
airkrafters logo are trademarks belonging to airkrafters, inc.,
a vinnie's northbay airstream, inc. associate company.
© 2022 airkrafters, inc.

APPLICATION INSTRUCTIONS

Surface Preparation

The surface area of stainless segment protectors should be thoroughly prepared using an ammonia based cleaner. Prior to applying your segment**QUILT**, ensure the surface has been cleared of any loose debris, wiped clean and is completely dry.


Installation

For a quick, straightforward, peel and stick process follow our visual guide below to install your segment**QUILT** pads. The initial repositionable ability will provide for simple and easy adhesion.

- Confirm that any existing grease, adhesives, wax or similar coatings are cleared before installing.
- Be sure that the temperature of the air is above 60° fahrenheit when applying the exposed adhesive.
- **DO NOT ATTEMPT TO OVER STRETCH THE PAD(S)*


Step 1

Lay the pad into place with the backing intact to verify your placement and fit.




Step 2

Lift the edge and pull the backing paper away from the segment**QUILT**.



Step 3

Fold the backing paper and tuck slightly under lifted area and make a crease on the fold.




Step 4

Use your hand in an open flat position to smooth out segment**QUILT**, guiding out any air bubbles while laying your piece into position.



Step 5

Lift the other side of the segment**QUILT**, completely remove backing paper then lay in place, repeating step 4.



CLEANING

Cleaning debris and dirt:

Use dish soap and water with a bristle brush or sponge.


For your soap solution, 1 Tbsp. of dishsoap to every gallon of water used is adequate to provide a sufficient cleaning mixture. Be sure to rinse well after cleaning to remove any excess soap from surface.

For really stubborn stains:

Degreaser based products work safely to clean and remove most stains. For stubborn stains, use diluted bleach, start with 1 cup bleach to 1 gallon water.

Keep in mind that the longer dirt and grime sit on a surface, the more difficult the surface can be to clean.

We recommend cleaning soon after any heavy use and further as needed.





Product Warranty

What is Covered:

1. This limited warranty covers defects in materials and workmanship in this product.
2. This limited warranty covers 5 years from adhesion to appropriate and properly prepared surfaces against shrinking, peeling, and lifting.
3. This limited warranty covers color fade resistance for 3 years from purchase, when properly stored and covered.

What is Not Covered:

1. This limited warranty does not cover damage caused by the owner modifying, improperly preparing, improperly applying to surfaces not recommended by Airkrafters, Inc.
2. This limited warranty does not cover product not properly maintained with regular cleaning and reasonable storage and coverage.

Who is Covered:

This limited warranty covers only the original purchaser of the product. The limited warranty is not transferable to subsequent owners or purchasers of the product.

How to Obtain Services:

To obtain benefit of this warranty, you must contact the company prior to removal of defective product. If the defective product poses a safety risk, cease use of product immediately, and take photo's if immediate removal of product is necessary. We may require pictures or have other requests in order to better understand what led to the product failure. After contacting the company, we may require you to send the complete product back to us, and will be provided with postage if that occurs.

What Airkrafters will do:

1. Replace the defective portion of the product with as close to identical product as possible.
2. Issue a refund for the product if no replacement is able to be provided.

No Other Express Warranty Applies

This warranty is the sole and exclusive warranty. No employee, agent, dealer, or other person is authorized to alter this warranty or make any other warranty on behalf of Airkrafters, Inc.

Limitation of Liability

Airkrafters shall not be responsible for any incidental or consequential damages. Some countries, districts or states do not allow the limitation or exclusion of relief for incidental or consequential damages, so the above limitation may not apply to you.

segment**QUILT**
a dual layer eva based protection medium

www.airkrafters.com

support@airkrafters.com
AIRKRAFTERS, INC.
3257 ROYAL OAKS DR. UNIT 101
THOUSAND OAKS, CA 91362

DESIGNED AND MANUFACTURED IN CALIFORNIA

the 'airkrafters' trade name, 'segmentQUILT' name and
airkrafters logo are trademarks belonging to airkrafters, inc.,
a vinnie's northbay airstream, inc. associate company.
© 2022 airkrafters, inc.